

## THYMUS PEPTIDE THERAPY - RECOMMENDATIONS

DIAGNOSIS	DRUG NAME	DOSAGE	THERAPY LENGTH & INJECTION PLAN	COMMENTS
<b>AIDS</b>	LUPEX 5 mg TFX – THYMOMODULIN	1 Vial 1 Vial	3 times per week on Monday, Wednesday and Friday for <b>6 weeks</b>	
	<b>and then</b> -----	-----	-----	
	LUPEX 5 mg TFX – THYMOMODULIN	1 Vial 1 Vial	2 times per week for <b>up to one year</b>	
<b>Allergy</b>	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i>	1 Vial 1 Vial	5 times a week Monday – Friday for <b>6 weeks</b>	Can be repeated again after a 6-week- break if necessary.
<b>Asthma, Bronchitis</b>	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i>	1 Vial 1 Vial	5 times a week Monday – Friday for <b>6 weeks</b>	Repeat therapy after a 6 to 12-month- break.

DIAGNOSIS	DRUG NAME	DOSAGE	THERAPY LENGTH & INJECTION PLAN	COMMENTS
<b>Bladder Carcinoma</b>	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i> ENZYTHYM	2 Vials 2 Vials 1 Vial	5 times a week Monday – Friday for <b>6 months</b>	
	<b>and then</b> -----	-----	-----	
	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i> ENZYTHYM	2 Vials 2 Vials 1 Vial	3 times per week on Monday, Wednesday and Friday for <b>6 months</b>	
	<b>and then</b> -----	-----	-----	
	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i> ENZYTHYM	2 Vials 2 Vials 1 Vial	2 times per week for <b>1 year</b>	
<b>Breast Cancer</b>	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i> ENZYTHYM	2 Vials 1 Vial 1 Vial	5 times a week Monday – Friday for <b>6 weeks</b> <b>Take a 4-week-break.</b>	Repeat therapy after a 6 to 12-month- break.
	<b>and then</b> -----	-----	-----	
	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i> ENZYTHYM	2 Vials 1 Vial 1 Vial	5 times a week Monday – Friday for <b>12 months</b>	

DIAGNOSIS	DRUG NAME	DOSAGE	THERAPY LENGTH & INJECTION PLAN	COMMENTS
<b>Breast Cancer Bone Metastasis</b>	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i> ENZYTHYM	2 Vials 1 Vial 1 Vial	5 times a week Monday – Friday for <b>6 weeks</b> <b>Take a 2-week-break.</b>	
	<b>and then</b> -----	-----	-----	
	LUPEX 5 mg ENZYTHYM	2 Vials 1 Vial	3 times a week on Monday, Wednesday and Friday for <b>12 months</b>	
<b>Geriatric Diseases or General Revitalization</b>	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i> ENZYTHYM	1 Vial 1 Vial 1 Vial	3 times a week on Monday, Wednesday and Friday for <b>6 weeks</b>	Can be repeated after a 6 to 12-month- break.
<b>Hepatitis B or C</b>	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i>	1 Vial 1 Vial	5 times a week Monday – Friday for <b>3 months</b> <b>Take a 6-month-break.</b>	
	<b>and then</b> -----	-----	-----	
	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i>	1 Vial 1 Vial	3 times a week on Monday, Wednesday and Friday for <b>3 months</b>	
<b>Lung Carcinoma (Microcellular or Squamous Cell)</b>	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i> ENZYTHYM	2 Vials 1 Vial 1 Vial	5 times a week Monday – Friday for <b>6 months.</b> <b>Take a 2-week-break.</b>	
	<b>and then</b> -----	-----	-----	
	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i> ENZYTHYM	2 Vials 1 Vial 1 Vial	3 times a week on Monday, Wednesday and Friday for <b>12 months.</b>	

DIAGNOSIS	DRUG NAME	DOSAGE	THERAPY LENGTH & INJECTION PLAN	COMMENTS
<b>Lupus Erythematosus</b>	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i>	2 Vials 1 Vial	5 times a week Monday – Friday for <b>6 weeks</b>	Repeat after a 6-week-break. Check ANA.
<b>Lymphogranulomatosis</b>	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i> ENZYTHYM	1 Vial 1 Vial 1 Vial	5 times a week Monday – Friday for <b>4 weeks</b>	
<b>Multiple Sclerosis</b>	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i>  <b>and then</b> - - - - -	2 Vials 1 Vial - - - - -	5 times a week Monday – Friday for <b>4 weeks</b> <b>Take a 1-month-break.</b> - - - - -	Repeat therapy after 6 to 12 months. Consult physician before hand.
	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i>	2 Vials 1 Vial	5 times a week Monday – Friday for <b>6 months</b>	
<b>Prostate Carcinoma</b>	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i> ENZYTHYM	2 Vials 1 Vial 1 Vial	5 times a week Monday – Friday for <b>6 months</b>	
<b>Rheumatoid Arthritis</b>	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i> ENZYTHYM  <b>and then</b> - - - - -	1 Vial 1 Vial 1 Vial - - - - -	5 times a week Monday – Friday for <b>6 weeks</b> <b>Take a 1-month-break.</b> - - - - -	Repeat 2 to 3 times per year with at least a 6-week-break between therapies
	-  LUPEX 5 mg ENZYTHYM	1 Vial 1 Vial	5 times a week Monday – Friday for <b>6 weeks</b>	

DIAGNOSIS	DRUG NAME	DOSAGE	THERAPY LENGTH & INJECTION PLAN	COMMENTS
<b>Stomach Cancer</b> <b>Pancreas Cancer</b> <b>Liver Cancer</b> <b>(or Liver</b> <b>Metastasis)</b> <b>Kidney Cancer</b>	LUPEX 5 mg THYMUS PEPTIDE C <i>liquid</i> ENZYTHYM	2 Vials 1 Vial 1 Vial	5 times a week Monday – Friday for <b>12 months</b>	